State of Louisiana Department of Transportation and Development

Qualified Products List 41

ASPHALTIC MATERIALS

PRODUCT SOURCE CODE	PRODUCT	SOURCE
41AE	Asphalt Cement (AC-10, AC-30)	American International Refinery 4646 Highway 3059
41AF	Polymer Modified Asphalt (PAC-30, PAC-40HG)	Lake Charles, LA 70615
41AL	Hot Applied Modified AC for Asphaltic Surface Treatment (PAC-15)	
41AZ	PG 64-22 ¹	
41AR	PG 70-22M	
41AS	PG 76-22M ¹	
4196	Polymer Modified Asphalt (PAC-40HG)	Asphalt Materials, Inc. 2200 Gilbert Pit Road
41AC	Hot Applied Modified AC for Asphaltic Surface Treatment Option 1	Millsap, TX 76066
4199	PAC-30 Alternate (PG 70-22)	
4124	Cutback Asphalt (RC-250, MC-30, MC-70)	Asphalt Products Unlimited, Inc. 4675 Interstate Highway
4125	Emulsified Asphalt (SS-1, SS-1h, CRS-2, CQS-1H³)	Port Allen, LA 70767
4178	Emulsified Polymerized Asphalt (SS-1L)	
41CH	Emulsified Polymerized Asphalt (CRS-2P)	
41CI	AEP Asphalt Emulsion Prime	
4162	Emulsified Petroleum Resin (EPR-1)	Blacklidge Emulsions, Inc. 828-B Pass Road
4163	Emulsified Asphalt (SS-1, CRS-2)	Gulfport, MS 39501
41CD	Emulsified Polymerized Asphalt (CRS-2P)	
4190	Polymer Modified Asphalt (PAC-30, PAC-40HG)	

PRODUCT		
SOURCE		
CODE	PRODUCT	SOURCE
41AN	Emulsified Asphalt (SS-1, CRS-2)	Ergon Asphalt and Emulsions 10451 Hwy. 18
41AX	Emulsified Polymerized Asphalt (CRS-2P)	St. James, LA 70086
41CK	CSS-1	
4181	Emulsified Asphalt (SS-1, CRS-2)	Ergon, Inc. 209 Airport Road
4187	Emulsified Polymerized Asphalt (CRS-2P)	Mt. Pleasant, TX 75455
4132	Asphalt Cement (AC-10, AC-30)	Ergon Refining, Inc. P. O. Box 309
4134	Emulsified Asphalt (SS-1, CRS-2, CQS-1H³)	Vicksburg, MS 39180
4179	Polymer Modified Asphalt (PAC-30, PAC-40HG)	
4182	Emulsified Polymerized Asphalt (CRS-2P)	
41BT	PG 64-22 ^{1,2}	
41AU 41AT	PG 70-22M ¹ PG 76-22M ¹	
	1	
41CJ	CSS-1	Ergon Refining, Inc.
		2611 Haining Road Vicksburg, MS 39180
		5,
4192	Asphalt Cement (AC-30)	Fina Oil and Chemical Company P. O. Box 849
4194	Polymer Modified Asphalt (PAC-30, PAC-40HG)	Hwy. 366 th & 32 nd Street Port Arthur, TX 77642
41BQ	PG 64-22	
41BN	PG 70-22M	
41BR	PG 76-22M	
4193	Polymer Modified Asphalt	Gulf States Asphalt
	(PAC-30, PAC-40HG)	300 Christy Place P. O. Box 508
		South Houston, TX 77587
		,,

PRODUCT SOURCE CODE	PRODUCT	SOURCE
41DF	PG 76-22M	Hunt-Southland Refining Company (Lumberton) P. O. Box 241 Lumberton, MS 39455
41DC	PG 76-22M	Koch Materials Company 2501 Port Place Muskogee, OK 74401
41DD	PG 76-22M	Koch Materials Company 1285 Channel Avenue Memphis, TN 38173
41CX	Emulsified Polymerized Asphalt (CRS-2P)	Koch Pavement Solutions 601 Shamburger Ln. Little Rock, AR 72206
4138	Asphalt Cement (AC-10, AC-30)	Lion Oil Company 1000 McHenry Street
4139	Cutback Asphalt (MC-30)	El Dorado, AR 71730
41BH	Polymer Modified Asphalt (PAC-30, PAC-40HG)	
41BF	PG 64-22 ¹	
41BM 41BG	PG 70-22M ¹ PG 76-22M ¹	

PRODUCT		
SOURCE CODE	PRODUCT	SOURCE
4140	Asphalt Cement (AC-10, AC-30)	Marathon Ashland Petroleum, LLC P. O. Box AC
41BE	Polymer Modified Asphalt (PAC-30, PAC-40HG)	Garyville, LA 70051
41BP 41BJ	PG 58-28 ¹ PG 64-22 ¹	
41BK 41BL	PG 70-22M ¹ PG 76-22M ¹	
41EC 41EA 41EB	PG 64-22 PG 70-22M PG 76-22M	Pelican Refining Co., L.L.S. 4646 Hwy. 3059 (Old Town Road) Lake Charles, LA 70615
4198	Emulsified Petroleum Resin (EPR-1)	Pennzoil Products Company P. O. Box 2967 Houston, TX 77252
41DL	Emulsified Polymerized Asphalt (CRS-2P)	Prime Materials and Supply Corp. (Port Neches)
41DM	Emulsified Polymerized Asphalt (SS-1)	100 ½ E. Port Neches Avenue Pt. Neches, TX 77651
41DN	Emulsified Polymerized Asphalt (CRS-2)	
	T	
41DW	Emulsified Polymerized Asphalt (CRS-2P)	SemMaterials (Saginaw Facility)
		600 Minton Road Fort Worth, TX 76131
41DX	PG 76-22M	SemMaterials, LP 2504 Port Place Muskogee, OK 74401
41DY	PG 76-22M	SemMaterials, LP 1285 Channel Avenue Memphis, TN 38173
41DZ	Emulsified Polymerized Asphalt (CRS-2P)	SemMaterials, LP 601 Shamburger Lane Little Rock, AR 72206

PROPUST		
PRODUCT SOURCE		
CODE	PRODUCT	SOURCE
4143	Asphalt Cement (AC-10, AC-30)	Southland Oil Company (Lumberton)
4144	Emulsified Asphalt (SS-1, CRS-2)	P. O. Box A Sandersville, MS 39477
41AV	PG 64-22	
41AY	PG 58-28	
41BY	PG 70-22M	
41CE	PG 76-22M	1
	1	_
4145	Asphalt Cement (AC-10, AC-30)	Southland Oil Company (Sandersville)
4146	Cutback Asphalt (MC-30, RC-250)	P. O. Box A Sandersville, MS 39477
41AJ	Hot Applied Modified AC for Asphaltic Surface Treatment - Option 1	
41AK	PAC-30 Alternate (PG 70-22)	
41AM	Polymer Modified Asphalt (PAC-40HG)	
41BD	PG 58-28	
41BC	PG 64-22 PG 70-22M	
41BU 41BV	PG 70-22M Alernate ⁴	
41BX	PG 76-22M Alemate	
41DE	Emulsified Asphalt CSS-1	
4147	Asphalt Cement	Southland Oil Company
44.0307	(AC-30)	(Vicksburg Terminal)
41AW	PG 64-22	P. O. Box A Sandersville, MS 39477
		Sandersville, MS 39477
	Table 1	
41DT	PG 64-22	TOTAL Petrochemicals USA, Inc.
41DU 41DV	PG 70-22M PG 76-22M	P. O. Box 849 Hwy. 366 th & 32 nd Street
4100	PG 76-22IVI	Port Arthur, TX 77642
		1
41CY	PG 70-22M	Trumbull Asphalt Houston
41DA	PG 76-22M	8350 Market St.
		Houston, TX 77029
		distributed by:
		Wright Asphalt Products Co. 17255 Market St.
		Channelview, TX 77530

PRODUCT SOURCE CODE	PRODUCT	SOURCE
41CZ 41DB	PG 70-22M PG 76-22M	Trumbull Asphalt Channelview 17310 Market Street Channelview, TX 77530 distributed by: Wright Asphalt Products 17255 Market Street Channelview, TX 77530
41DO 41DP 41DQ 41DR 41DS	PG 58-28 PG 64-22 PG 70-22M PG 76-22M MC-30 Cutback Asphalt	Valero Marketing and Supply 10455 Hwy 18 St. James, Louisiana 70086

ENDNOTES:

- 1. Material is approved for the Louisiana Approved Supplier Certification Program
- 2. May be used only on projects containing specification for PG 64-22 with 5000 kPa maximum PAV DSR requirement and 100 cm elongation ductility requirement (Section 1002, Table 10D, Rev. 9/99)
- 3. CQS-1H allowed by Contract Specifications only.
- 4. Binders with rotational viscosity values higher than 3.0 Pascal Seconds should be used with caution and only after consulting with the supplier as to any special handling procedures and guarantees of mixing and pumping capabilities.

REFERENCE:

2000 DOTD Standard Specifications, Subsection 1002.01 (Metric/English)
 DOTD Special Provisions (Metric/English)
 DOTD Maintenance Specifications, DOTD 158-001, DOTD 164-002 and DOTD 164-003
 Louisiana Approved Supplier Certification Program

NOTE:

All material, regardless of prior approval, shall be sampled in accordance with the Materials Sampling Manual and tested for conformance to the original specification. Any deviation in composition or performance from the original sample submitted may result in removal of the product from the qualified list.

No information in this list is to be used for promotional purposes.